



GLOBAL
FOUNDATION
• *for* •
PEROXISOMAL
DISORDERS

USAGE GUIDELINES

For questions and more information contact Margaret Reimann,
margaret@mcrbranding.com

FONTS

PT Sans

PT Sans Bold

PT Sans Italic

PT Sans Bold Italic

> *Download fonts from:*

<https://www.fontsquirrel.com/fonts/pt-sans>

Usage

PT Sans Bold

- Headings

PT Sans Regular

- Subheadings
- Small bodies of text

PT Sans Italic or ***Bold Italic***

- Use for quotes. Boldness will depend on other surrounding text (i.e. whether the quote appears in a heading or not)

PT Serif - Complimentary serif font

- Long bodies of text (minimum of 3 paragraphs. Good font for use in an article or story)

COLORS

MAIN COLORS



CMYK
C - 99
M - 73
Y - 21
K - 5

RGB
R - 0
G - 82
B - 137

WEB
#005289

PANTONE
653C



CMYK
C - 0
M - 77
Y - 76
K - 0

RGB
R - 242
G - 98
B - 70

WEB
#F26246

PANTONE
7417C



CMYK
C - 37
M - 2
Y - 76
K - 0

RGB
R - 170
G - 205
B - 105

WEB
#AACD69

PANTONE
367C

SECONDARY COLORS



CMYK
C - 55
M - 0
Y - 22
K - 15

RGB
R - 92
G - 176
B - 180

WEB
#5CB0B4



CMYK
C - 22
M - 23
Y - 22
K - 41

RGB
R - 131
G - 125
B - 125

WEB
#847E7D



CMYK
C - 17
M - 8
Y - 33
K - 6

RGB
R - 200
G - 204
B - 170

WEB
#C8CCAA

LOGO USAGE

MAIN LOGO



MAIN LOGO w/ tagline




TAGLINE

FAMILY • RESEARCH • HOPE

1-COLOR LOGO - BLACK



1-COLOR LOGO - WHITE



LOGO USAGE

Do not stretch the logo proportions



Do not use main logo against a dark background - use the 1-color white logo instead



For questions and more information contact Margaret Reimann,
margaret@mcrbranding.com